



EP 15-03

Product overview

EP 15-03

Overview and main data



- Electrical low lift pallet truck for horizontal transport
- Electric DC drive and lift motor
- Load capacity: **1.500 Kg**
- Forks length: **1.150 mm**
- Overall forks width (b5): **560 mm** or **685 mm**
- Lithium-ion battery: **24 Volts / 20 Ah**
- External charger: **230 Volts**
- Service weight: **120 Kg**
- Metal drive motor cover avoids hurting operator's foot and protects motor from dust

EP 15-03 Applications



- Suitable for almost all internal transport of goods in small and medium-sized warehouses
- EP 15-03 can be used in tail and freight lifts thanks to its low service weight
- Replacement for hand pallet trucks; it reduces workload for the operator and saves time when transporting goods
- EP 15-03 is the ideal solution in areas with little space for manoeuvring thanks to its compact size and creep speed switch

EP 15-03 Tiller



- Driving and lifting functions are operated electrically
- Manual lowering handle ensures speed and smooth unloading at the same time
- Reduced force required while steering due to low-mounted tiller
- Efficient in areas with little space for manoeuvring
- The **creep speed switch** enable the operator to manoeuvre the truck when the tiller in vertical position

EP 15-03

Battery and charger



- **Maintenance-free** lithium-ion battery (24 Volts / 20 Ah)
- **Gas-free** lithium-ion battery
- The external charger allows for quick and easy charging at any 230 Volts socket
- Fast interim charges, optional spare battery and external charger maximize truck availability
- **LED light** indicates the battery charging level

